


+ Management of skin tears¹



Goals of treatment		
Treat the cause	Moist wound healing	Manage exudate
Implement prevention	Avoid trauma	Avoid infection
Protocol	Protect peri-wound skin	Pain control

Treatment options in accordance with local wound conditions

Type 1: No skinloss	Type 2: Partial flap loss	Type 3: Total flap loss

Select appropriate dressing in accordance with wound conditions, and apply.
In direction of skin flap, draw an arrow on top of the dressing to aid removal.

Product solution

ALLEVYN[®] Gentle Border Foam Dressing

Smith & Nephew, Croxley Park, Building 5, Hatters Lane, Watford, Hertfordshire WD18 8YE. T +44 (0)1923 477100, F +44 (0)1923 477101
www.smith-nephew.com/uk [®]Trademark of Smith & Nephew, All Trademarks acknowledged, ©May 2020 Smith+Nephew 25200

References: 1. LeBlanc K et al. Best practice recommendations for the prevention and management of skin tears in aged skin. Wounds International 2018. Available to download from www.woundsinternational.com.

The flow chart and imagery in the pathway has been adapted from LeBlanc K et al. Best practice recommendations for the prevention and management of skin tears in aged skin. Wounds International 2018. Available to download from www.woundsinternational.com.

Smith+Nephew does not provide medical advice. The information presented is not, and is not intended to serve as, medical advice. For detailed product information, including indications for use, contraindications, precautions and warnings, please consult the product's applicable Instructions for Use (IFU) prior to use.